


Internal coolant


*	Dimensions [mm]					
	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
*	3	6	110	70	62	36
*	3.1	6	123	83	72	36
*	3.2	6	123	83	72	36
*	3.3	6	123	83	72	36
*	3.4	6	123	83	72	36
*	3.5	6	123	83	72	36
*	3.6	6	136	96	84	36
*	3.7	6	136	96	84	36
*	3.8	6	136	96	84	36
*	3.9	6	136	96	84	36
*	4	6	136	96	84	36
*	4.1	6	148	108	96	36
*	4.2	6	148	108	96	36
*	4.3	6	148	108	96	36
*	4.4	6	148	108	96	36
*	4.5	6	148	108	96	36
*	4.6	6	158	118	106	36
*	4.7	6	158	118	106	36
*	4.8	6	158	118	106	36
*	4.9	6	158	118	106	36
*	5	6	158	118	106	36
*	5.1	6	168	128	116	36
*	5.2	6	168	128	116	36
*	5.3	6	168	128	116	36
*	5.4	6	168	128	116	36
*	5.5	6	168	128	116	36
*	5.6	6	180	140	126	36
*	5.7	6	180	140	126	36
*	5.8	6	180	140	126	36
*	5.9	6	180	140	126	36
*	6	6	180	140	126	36
*	6.1	8	192	150	132	36
*	6.2	8	192	150	132	36
*	6.3	8	192	150	132	36
*	6.4	8	192	150	132	36
*	6.5	8	192	150	132	36



Internal coolant



*	Dimensions [mm]					
	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
*	6.6	8	202	162	144	36
*	6.7	8	202	162	144	36
*	6.8	8	202	162	144	36
*	6.9	8	202	162	144	36
*	7	8	202	162	144	36
*	7.1	8	213	173	155	36
*	7.2	8	213	173	155	36
*	7.3	8	213	173	155	36
*	7.4	8	213	173	155	36
*	7.5	8	213	173	155	36
*	7.6	8	223	183	165	36
*	7.7	8	223	183	165	36
*	7.8	8	223	183	165	36
*	7.9	8	223	183	165	36
*	8	8	223	183	165	36
*	8.1	10	239	195	176	40
*	8.2	10	239	195	176	40
*	8.3	10	239	195	176	40
*	8.4	10	239	195	176	40
*	8.5	10	239	195	176	40
*	8.6	10	249	205	186	40
*	8.7	10	249	205	186	40
*	8.8	10	249	205	186	40
*	8.9	10	249	205	186	40
*	9	10	249	205	186	40
*	9.1	10	262	218	196	36
*	9.2	10	262	218	196	36
*	9.3	10	262	218	196	36
*	9.4	10	262	218	196	36
*	9.5	10	262	218	196	36
*	9.6	10	272	228	206	40
*	9.7	10	272	228	206	40
*	9.8	10	272	228	206	40
*	9.9	10	272	228	206	40
*	10	10	272	228	206	40
*	10.1	12	292	242	220	45



Internal coolant

*	Dimensions [mm]					
	d_1 (m7)	d_2 (h6)	l_1	l_2	l_3	l_4
*	10.2	12	292	242	220	45
*	10.3	12	292	242	220	45
*	10.4	12	292	242	220	45
*	10.5	12	292	242	220	45
*	10.6	12	300	250	228	45
*	10.7	12	300	250	228	45
*	10.8	12	300	250	228	45
*	10.9	12	300	250	228	45
*	11	12	300	250	228	45
*	11.1	12	315	265	240	45
*	11.2	12	315	265	240	45
*	11.3	12	315	265	240	45
*	11.4	12	315	265	240	45
*	11.5	12	315	265	240	45
*	11.6	12	325	275	250	45
*	11.7	12	325	275	250	45
*	11.8	12	325	275	250	45
*	11.9	12	325	275	250	45
*	12	12	325	275	250	45
*	12.5	14	325	275	250	45
*	13	14	338	290	265	45
*	13.5	14	338	290	265	45
*	14	14	367	318	290	45