





External coolant




Internal coolant




*	Dimensions [mm]					
	d_1 (m7)	d_2 (h6)	l_1	l_2	l_3	l_4
0.9	4	47	4.2	3.4	37.9	
1	4	47	4.7	3.8	37.6	
1.05	4	47	4.9	3.9	37.5	
1.1	4	47	5.2	4.1	37.2	
1.15	4	47	5.4	4.3	37.1	
1.2	4	47	5.6	4.5	37	
1.25	4	47	5.9	4.7	36.8	
1.3	4	47	6.1	4.9	36.6	
1.35	4	47	6.3	5.1	36.5	
1.4	4	47	6.6	5.3	36.3	
1.45	4	47	6.8	5.4	36.2	
1.47	4	47	6.9	5.5	36.1	
1.5	4	47	7.1	5.6	36	
1.55	4	47	7.3	5.8	35.8	
1.6	4	47	7.5	6	35.7	
1.65	4	47	7.8	6.2	35.5	
1.7	4	47	8	6.4	35.4	
1.75	4	47	8.2	6.6	35.2	
1.8	4	47	8.5	6.8	35	
1.85	4	47	8.7	6.9	34.9	
1.9	4	47	8.9	7.1	34.8	
1.95	4	47	9.2	7.3	34.5	
2	6	62	20	14	36	
2.1	6	62	20	14	36	
2.2	6	62	20	14	36	
2.3	3	59	13.8	14	36	
2.4	6	62	20	14	36	
2.5	6	62	20	14	36	
2.6	6	62	20	14	36	
2.7	6	62	20	14	36	
2.8	6	62	20	14	36	



External coolant




Internal coolant




*	Dimensions [mm]					
	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
	2.9	6	62	20	14	36
	3	6	62	20	14	36
*	3	6	62	20	14	36
	3.1	6	62	20	14	36
*	3.1	6	62	20	14	36
	3.2	6	62	20	14	36
*	3.2	6	62	20	14	36
	3.25	6	62	20	14	36
*	3.25	6	62	20	14	36
	3.3	6	62	20	14	36
*	3.3	6	62	20	14	36
	3.4	6	62	20	14	36
*	3.4	6	62	20	14	36
	3.5	6	62	20	14	36
*	3.5	6	62	20	14	36
	3.6	6	62	20	14	36
*	3.6	6	62	20	14	36
	3.7	6	62	20	14	36
*	3.7	6	62	20	14	36
	3.8	6	66	24	17	36
*	3.8	6	66	24	17	36
	3.9	6	66	24	17	36
*	3.9	6	66	24	17	36
	4	6	66	24	17	36
*	4	6	66	24	17	36
	4.1	6	66	24	17	36
*	4.1	6	66	24	17	36
	4.2	6	66	24	17	36
*	4.2	6	66	24	17	36
	4.3	6	66	24	17	36
*	4.3	6	66	24	17	36



External coolant




Internal coolant




*	Dimensions [mm]					
	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
*	4.4	6	66	24	17	36
*	4.4	6	66	24	17	36
*	4.5	6	66	24	17	36
*	4.5	6	66	24	17	36
*	4.6	6	66	24	17	36
*	4.6	6	66	24	17	36
*	4.65	6	66	24	17	36
*	4.65	6	66	24	17	36
*	4.7	6	66	24	17	36
*	4.7	6	66	24	17	36
*	4.8	6	66	28	20	36
*	4.8	6	66	28	20	36
*	4.9	6	66	28	20	36
*	4.9	6	66	28	20	36
*	5	6	66	28	20	36
*	5	6	66	28	20	36
*	5.1	6	66	28	20	36
*	5.1	6	66	28	20	36
*	5.2	6	66	28	20	36
*	5.2	6	66	28	20	36
*	5.3	6	66	28	20	36
*	5.3	6	66	28	20	36
*	5.4	6	66	28	20	36
*	5.4	6	66	28	20	36
*	5.5	6	66	28	20	36
*	5.5	6	66	28	20	36
*	5.55	6	66	28	20	36
*	5.55	6	66	28	20	36
*	5.6	6	66	28	20	36
*	5.6	6	66	28	20	36
*	5.7	6	66	28	20	36



External coolant




Internal coolant




*	Dimensions [mm]					
	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
*	5.7	6	66	28	20	36
	5.8	6	66	28	20	36
*	5.8	6	66	28	20	36
	5.9	6	66	28	20	36
*	5.9	6	66	28	20	36
	6	6	66	28	20	36
*	6	6	66	28	20	36
	6.1	8	79	34	24	36
*	6.1	8	79	34	24	36
	6.2	8	79	34	24	36
*	6.2	8	79	34	24	36
	6.3	8	79	34	24	36
*	6.3	8	79	34	24	36
	6.4	8	79	34	24	36
*	6.4	8	79	34	24	36
	6.5	8	79	34	24	36
*	6.5	8	79	34	24	36
	6.6	8	79	34	24	36
*	6.6	8	79	34	24	36
	6.7	8	79	34	24	36
*	6.7	8	79	34	24	36
	6.75	8	79	34	24	36
*	6.75	8	79	34	24	36
	6.8	8	79	34	24	36
*	6.8	8	79	34	24	36
	6.9	8	79	34	24	36
*	6.9	8	79	34	24	36
	7	8	79	34	24	36
*	7	8	79	34	24	36
	7.1	8	79	41	29	36
*	7.1	8	79	41	29	36



External coolant




Internal coolant




*	Dimensions [mm]					
	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
*	7.2	8	79	41	29	36
*	7.2	8	79	41	29	36
*	7.3	8	79	41	29	36
*	7.3	8	79	41	29	36
*	7.4	8	79	41	29	36
*	7.4	8	79	41	29	36
*	7.45	8	79	41	29	36
*	7.45	8	79	41	29	36
*	7.5	8	79	41	29	36
*	7.5	8	79	41	29	36
*	7.6	8	79	41	29	36
*	7.6	8	79	41	29	36
*	7.7	8	79	41	29	36
*	7.7	8	79	41	29	36
*	7.8	8	79	41	29	36
*	7.8	8	79	41	29	36
*	7.9	8	79	41	29	36
*	7.9	8	79	41	29	36
*	8	8	79	41	29	36
*	8	8	79	41	29	36
*	8.1	10	89	47	35	40
*	8.1	10	89	47	35	40
*	8.2	10	89	47	35	40
*	8.2	10	89	47	35	40
*	8.3	10	89	47	35	40
*	8.3	10	89	47	35	40
*	8.4	10	89	47	35	40
*	8.4	10	89	47	35	40
*	8.5	10	89	47	35	40
*	8.5	10	89	47	35	40
*	8.6	10	89	47	35	40



External coolant



Internal coolant



*	Dimensions [mm]					
	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
*	8.6	10	89	47	35	40
	8.7	10	89	47	35	40
*	8.7	10	89	47	35	40
	8.8	10	89	47	35	40
*	8.8	10	89	47	35	40
	8.9	10	89	47	35	40
*	8.9	10	89	47	35	40
	9	10	89	47	35	40
*	9	10	89	47	35	40
	9.1	10	89	47	35	40
*	9.1	10	89	47	35	40
	9.2	10	89	47	35	40
*	9.2	10	89	47	35	40
	9.3	10	89	47	35	40
*	9.3	10	89	47	35	40
	9.35	10	89	47	35	40
*	9.35	10	89	47	35	40
	9.4	10	89	47	35	40
*	9.4	10	89	47	35	40
	9.45	10	89	47	35	40
*	9.45	10	89	47	35	40
	9.5	10	89	47	35	40
*	9.5	10	89	47	35	40
	9.6	10	89	47	35	40
*	9.6	10	89	47	35	40
	9.7	10	89	47	35	40
*	9.7	10	89	47	35	40
	9.8	10	89	47	35	40
*	9.8	10	89	47	35	40
	9.9	10	89	47	35	40
*	9.9	10	89	47	35	40



External coolant




Internal coolant


*	Dimensions [mm]					
	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
	10	10	89	47	35	40
*	10	10	89	47	35	40
	10.1	12	102	55	40	45
*	10.1	12	102	55	40	45
	10.2	12	102	55	40	45
*	10.2	12	102	55	40	45
	10.25	12	102	55	40	45
*	10.25	12	102	55	40	45
	10.3	12	102	55	40	45
*	10.3	12	102	55	40	45
	10.4	12	102	55	40	45
*	10.4	12	102	55	40	45
	10.5	12	102	55	40	45
*	10.5	12	102	55	40	45
	10.6	12	102	55	40	45
*	10.6	12	102	55	40	45
	10.7	12	102	55	40	45
*	10.7	12	102	55	40	45
	10.8	12	102	55	40	45
*	10.8	12	102	55	40	45
	10.9	12	102	55	40	45
*	10.9	12	102	55	40	45
	11	12	102	55	40	45
*	11	12	102	55	40	45
	11.1	12	102	55	40	45
*	11.1	12	102	55	40	45
	11.2	12	102	55	40	45
*	11.2	12	102	55	40	45
	11.25	12	102	55	40	45
*	11.25	12	102	55	40	45
	11.3	12	102	55	40	45



External coolant




Internal coolant




*	Dimensions [mm]					
	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
*	11.3	12	102	55	40	45
	11.35	12	102	55	40	45
*	11.35	12	102	55	40	45
	11.4	12	102	55	40	45
*	11.4	12	102	55	40	45
	11.45	12	102	55	40	45
*	11.45	12	102	55	40	45
	11.5	12	102	55	40	45
*	11.5	12	102	55	40	45
	11.6	12	102	55	40	45
*	11.6	12	102	55	40	45
	11.7	12	102	55	40	45
*	11.7	12	102	55	40	45
	11.8	12	102	55	40	45
*	11.8	12	102	55	40	45
	11.9	12	102	55	40	45
*	11.9	12	102	55	40	45
	12	12	102	55	40	45
*	12	12	102	55	40	45
	12.1	14	107	60	43	45
*	12.1	14	107	60	43	45
	12.2	14	107	60	43	45
*	12.2	14	107	60	43	45
	12.25	14	107	60	43	45
*	12.25	14	107	60	43	45
	12.3	14	107	60	43	45
*	12.3	14	107	60	43	45
	12.5	14	107	60	43	45
*	12.5	14	107	60	43	45
	12.7	14	107	60	43	45
*	12.7	14	107	60	43	45



External coolant




Internal coolant




*	Dimensions [mm]					
	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
*	12.75	14	107	60	43	45
*	12.75	14	107	60	43	45
*	12.8	14	107	60	43	45
*	12.8	14	107	60	43	45
*	13	14	107	60	43	45
*	13	14	107	60	43	45
*	13.1	14	107	60	43	45
*	13.1	14	107	60	43	45
*	13.35	14	107	60	43	45
*	13.35	14	107	60	43	45
*	13.5	14	107	60	43	45
*	13.5	14	107	60	43	45
*	13.8	14	107	60	43	45
*	13.8	14	107	60	43	45
*	14	14	107	60	43	45
*	14	14	107	60	43	45
*	14.2	16	107	60	43	45
*	14.2	16	107	60	43	45
*	14.25	16	115	65	45	48
*	14.25	16	115	65	45	48
*	14.3	16	115	65	45	48
*	14.3	16	115	65	45	48
*	14.5	16	115	65	45	48
*	14.5	16	115	65	45	48
*	14.75	16	115	65	45	48
*	14.75	16	115	65	45	48
*	14.8	16	115	65	45	48
*	14.8	16	115	65	45	48
*	15	16	115	65	45	48
*	15	16	115	65	45	48
*	15.1	16	115	65	45	48



External coolant




Internal coolant




*	Dimensions [mm]					
	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
*	15.1	16	115	65	45	48
	15.3	16	115	65	45	48
	15.35	16	115	65	45	48
*	15.35	16	115	65	45	48
	15.5	16	115	65	45	48
*	15.5	16	115	65	45	48
	15.8	16	115	65	45	48
*	15.8	16	115	65	45	48
	16	16	115	65	45	48
*	16	16	115	65	45	48
	16.1	18	123	73	51	48
	16.5	18	123	73	51	48
*	16.5	18	123	73	51	48
	16.75	18	123	73	51	48
*	16.75	18	123	73	51	48
	16.8	18	123	73	51	48
*	16.8	18	123	73	51	48
	17	18	123	73	51	48
*	17	18	123	73	51	48
	17.5	18	123	73	51	48
*	17.5	18	123	73	51	48
	17.8	18	123	73	51	48
*	17.8	18	123	73	51	48
	18	18	123	73	51	48
*	18	18	123	73	51	48
	18.5	20	131	79	55	50
*	18.5	20	131	79	55	50
	18.8	20	131	79	55	50
*	18.8	20	131	79	55	50
	19	20	131	79	55	50
*	19	20	131	79	55	50



External coolant



Internal coolant



*	Dimensions [mm]					
	d_1 (m7)	d_2 (h6)	l_1	l_2	l_3	l_4
	19.5	20	131	79	55	50
*	19.5	20	131	79	55	50
	19.8	20	131	79	55	50
*	19.8	20	131	79	55	50
	20	20	131	79	55	50
*	20	20	131	79	55	50