





External coolant




Internal coolant




*	Dimensions [mm]					
	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
	2	6	66	28	23	36
	2.1	6	66	28	23	36
	2.2	6	66	28	23	36
	2.3	6	66	28	23	36
	2.4	6	66	28	23	36
	2.5	6	66	28	23	36
	2.6	6	66	28	23	36
	2.7	6	66	28	23	36
	2.8	6	66	28	23	36
	2.9	6	66	28	23	36
	3	6	66	28	23	36
*	3	6	66	28	23	36
	3.1	6	66	28	23	36
*	3.1	6	66	28	23	36
	3.2	6	66	28	23	36
*	3.2	6	66	28	23	36
	3.25	6	66	28	23	36
*	3.25	6	66	28	23	36
	3.3	6	66	28	23	36
*	3.3	6	66	28	23	36
	3.4	6	66	28	23	36
*	3.4	6	66	28	23	36
	3.5	6	66	28	23	36
*	3.5	6	66	28	23	36
	3.6	6	66	28	23	36
*	3.6	6	66	28	23	36
	3.7	6	66	28	23	36
*	3.7	6	66	28	23	36
	3.8	6	74	36	29	36
*	3.8	6	74	36	29	36
	3.9	6	74	36	29	36



External coolant




Internal coolant




		Dimensions [mm]				
*	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
*	3.9	6	74	36	29	36
	4	6	74	36	29	36
*	4	6	74	36	29	36
	4.1	6	74	36	29	36
*	4.1	6	74	36	29	36
	4.2	6	74	36	29	36
*	4.2	6	74	36	29	36
	4.3	6	74	36	29	36
*	4.3	6	74	36	29	36
	4.4	6	74	36	29	36
*	4.4	6	74	36	29	36
	4.5	6	74	36	29	36
*	4.5	6	74	36	29	36
	4.6	6	74	36	29	36
*	4.6	6	74	36	29	36
	4.65	6	74	36	29	36
*	4.65	6	74	36	29	36
	4.7	6	74	36	29	36
*	4.7	6	74	36	29	36
	4.8	6	82	44	35	36
*	4.8	6	82	44	35	36
	4.9	6	82	44	35	36
*	4.9	6	82	44	35	36
	5	6	82	44	35	36
*	5	6	82	44	35	36
	5.1	6	82	44	35	36
*	5.1	6	82	44	35	36
	5.2	6	82	44	35	36
*	5.2	6	82	44	35	36
	5.3	6	82	44	35	36
*	5.3	6	82	44	35	36



External coolant




Internal coolant




*	Dimensions [mm]					
	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
*	5.4	6	82	44	35	36
*	5.4	6	82	44	35	36
*	5.5	6	82	44	35	36
*	5.5	6	82	44	35	36
*	5.55	6	82	44	35	36
*	5.55	6	82	44	35	36
*	5.6	6	82	44	35	36
*	5.6	6	82	44	35	36
*	5.7	6	82	44	35	36
*	5.7	6	82	44	35	36
*	5.8	6	82	44	35	36
*	5.8	6	82	44	35	36
*	5.9	6	82	44	35	36
*	5.9	6	82	44	35	36
*	6	6	82	44	35	36
*	6	6	82	44	35	36
*	6.1	8	91	53	43	36
*	6.1	8	91	53	43	36
*	6.2	8	91	53	43	36
*	6.2	8	91	53	43	36
*	6.3	8	91	53	43	36
*	6.3	8	91	53	43	36
*	6.4	8	91	53	43	36
*	6.4	8	91	53	43	36
*	6.5	8	91	53	43	36
*	6.5	8	91	53	43	36
*	6.6	8	91	53	43	36
*	6.6	8	91	53	43	36
*	6.7	8	91	53	43	36
*	6.7	8	91	53	43	36
*	6.75	8	91	53	43	36



External coolant




Internal coolant




	Dimensions [mm]					
*	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
*	6.75	8	91	53	43	36
	6.8	8	91	53	43	36
*	6.8	8	91	53	43	36
	6.9	8	91	53	43	36
*	6.9	8	91	53	43	36
	7	8	91	53	43	36
*	7	8	91	53	43	36
	7.1	8	91	53	43	36
*	7.1	8	91	53	43	36
	7.2	8	91	53	43	36
*	7.2	8	91	53	43	36
	7.3	8	91	53	43	36
*	7.3	8	91	53	43	36
	7.4	8	91	53	43	36
*	7.4	8	91	53	43	36
*	7.45	8	91	53	43	36
	7.5	8	91	53	43	36
*	7.5	8	91	53	43	36
	7.6	8	91	53	43	36
*	7.6	8	91	53	43	36
	7.7	8	91	53	43	36
*	7.7	8	91	53	43	36
	7.8	8	91	53	43	36
*	7.8	8	91	53	43	36
	7.9	8	91	53	43	36
*	7.9	8	91	53	43	36
	8	8	91	53	43	36
*	8	8	91	53	43	36
	8.1	10	103	61	49	40
*	8.1	10	103	61	49	40
	8.2	10	103	61	49	40



External coolant




Internal coolant




*	Dimensions [mm]					
	d_1 (m7)	d_2 (h6)	l_1	l_2	l_3	l_4
*	8.2	10	103	61	49	40
	8.3	10	103	61	49	40
*	8.3	10	103	61	49	40
	8.4	10	103	61	49	40
*	8.4	10	103	61	49	40
	8.5	10	103	61	49	40
*	8.5	10	103	61	49	40
	8.6	10	103	61	49	40
*	8.6	10	103	61	49	40
	8.7	10	103	61	49	40
*	8.7	10	103	61	49	40
	8.8	10	103	61	49	40
*	8.8	10	103	61	49	40
	8.9	10	103	61	49	40
*	8.9	10	103	61	49	40
	9	10	103	61	49	40
*	9	10	103	61	49	40
	9.1	10	103	61	49	40
*	9.1	10	103	61	49	40
	9.2	10	103	61	49	40
*	9.2	10	103	61	49	40
	9.3	10	103	61	49	40
*	9.3	10	103	61	49	40
	9.35	10	103	61	49	40
*	9.35	10	103	61	49	40
	9.4	10	103	61	49	40
*	9.4	10	103	61	49	40
	9.45	10	103	61	49	40
*	9.45	10	103	61	49	40
	9.5	10	103	61	49	40
*	9.5	10	103	61	49	40



External coolant




Internal coolant




*	Dimensions [mm]					
	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
*	9.6	10	103	61	49	40
*	9.6	10	103	61	49	40
*	9.7	10	103	61	49	40
*	9.7	10	103	61	49	40
*	9.8	10	103	61	49	40
*	9.8	10	103	61	49	40
*	9.9	10	103	61	49	40
*	9.9	10	103	61	49	40
*	10	10	103	61	49	40
*	10	10	103	61	49	40
*	10.1	12	118	71	56	45
*	10.1	12	118	71	56	45
*	10.2	12	118	71	56	45
*	10.2	12	118	71	56	45
*	10.25	12	118	71	56	45
*	10.25	12	118	71	56	45
*	10.3	12	118	71	56	45
*	10.3	12	118	71	56	45
*	10.4	12	118	71	56	45
*	10.4	12	118	71	56	45
*	10.5	12	118	71	56	45
*	10.5	12	118	71	56	45
*	10.6	12	118	71	56	45
*	10.6	12	118	71	56	45
*	10.7	12	118	71	56	45
*	10.7	12	118	71	56	45
*	10.8	12	118	71	56	45
*	10.8	12	118	71	56	45
*	10.9	12	118	71	56	45
*	10.9	12	118	71	56	45
*	11	12	118	71	56	45



External coolant




Internal coolant




*	Dimensions [mm]					
	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
*	11	12	118	71	56	45
	11.1	12	118	71	56	45
*	11.1	12	118	71	56	45
	11.2	12	118	71	56	45
*	11.2	12	118	71	56	45
	11.25	12	118	71	56	45
*	11.25	12	118	71	56	45
	11.3	12	118	71	56	45
*	11.3	12	118	71	56	45
	11.35	12	118	71	56	45
*	11.35	12	118	71	56	45
	11.4	12	118	71	56	45
*	11.4	12	118	71	56	45
	11.45	12	118	71	56	45
*	11.45	12	118	71	56	45
	11.5	12	118	71	56	45
*	11.5	12	118	71	56	45
	11.6	12	118	71	56	45
*	11.6	12	118	71	56	45
	11.7	12	118	71	56	45
*	11.7	12	118	71	56	45
	11.8	12	118	71	56	45
*	11.8	12	118	71	56	45
	11.9	12	118	71	56	45
*	11.9	12	118	71	56	45
	12	12	118	71	56	45
*	12	12	118	71	56	45
	12.1	14	124	77	60	45
*	12.1	14	124	77	60	45
	12.2	14	124	77	60	45
*	12.2	14	124	77	60	45



External coolant




Internal coolant




*	Dimensions [mm]					
	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
*	12.25	14	124	77	60	45
*	12.25	14	124	77	60	45
*	12.3	14	124	77	60	45
*	12.3	14	124	77	60	45
*	12.5	14	124	77	60	45
*	12.5	14	124	77	60	45
*	12.7	14	124	77	60	45
*	12.7	14	124	77	60	45
*	12.75	14	124	77	60	45
*	12.75	14	124	77	60	45
*	12.8	14	124	77	60	45
*	12.8	14	124	77	60	45
*	13	14	124	77	60	45
*	13	14	124	77	60	45
*	13.1	14	124	77	60	45
*	13.1	14	124	77	60	45
*	13.35	14	124	77	60	56
*	13.35	14	124	77	60	56
*	13.5	14	124	77	60	45
*	13.5	14	124	77	60	45
*	13.8	14	124	77	60	45
*	13.8	14	124	77	60	45
*	14	14	124	77	60	45
*	14	14	124	77	60	45
*	14.2	16	124	77	60	45
*	14.2	16	124	77	60	45
*	14.25	16	133	83	63	48
*	14.25	16	133	83	63	48
*	14.3	16	133	83	63	48
*	14.3	16	133	83	63	48
*	14.5	16	133	83	63	48



External coolant




Internal coolant




*	Dimensions [mm]					
	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
*	14.5	16	133	83	63	48
	14.75	16	133	83	63	48
*	14.75	16	133	83	63	48
	14.8	16	133	83	63	48
*	14.8	16	133	83	63	48
	15	16	133	83	63	48
*	15	16	133	83	63	48
	15.1	16	133	83	63	48
*	15.1	16	133	83	63	48
*	15.3	16	133	83	63	48
	15.35	16	133	83	63	48
*	15.35	16	133	83	63	48
	15.5	16	133	83	63	48
*	15.5	16	133	83	63	48
	15.8	16	133	83	63	48
*	15.8	16	133	83	63	48
	16	16	133	83	63	48
*	16	16	133	83	63	48
	16.5	18	143	93	71	48
*	16.5	18	143	93	71	48
	16.75	18	143	93	71	48
*	16.75	18	143	93	71	48
	16.8	18	143	93	71	48
*	16.8	18	143	93	71	48
	17	18	143	93	71	48
*	17	18	143	93	71	48
	17.5	18	143	93	71	48
*	17.5	18	143	93	71	48
	17.8	18	143	93	71	48
*	17.8	18	143	93	71	48
	18	18	143	93	71	48



External coolant



Internal coolant



*	Dimensions [mm]					
	d ₁ (m7)	d ₂ (h6)	l ₁	l ₂	l ₃	l ₄
*	18	18	143	93	71	48
	18.5	20	153	101	77	50
*	18.5	20	153	101	77	50
	18.8	20	153	101	77	50
*	18.8	20	153	101	77	50
	19	20	153	101	77	50
*	19	20	153	101	77	50
	19.5	20	153	101	77	50
*	19.5	20	153	101	77	50
	19.8	20	153	101	77	50
*	19.8	20	153	101	77	50
	20	20	153	101	77	50
*	20	20	153	101	77	50